

Oral pre-exposure prophylaxip ED

What is it?

PrEP is a safe, HIV prevention method for HIV-negative people who are vulnerable to HIV. PrEP pills need to be taken daily and help to prevent HIV.

When used consistently and as prescribed, PrEP has been shown to reduce the likelihood of getting HIV by more than 90% among people vulnerable to HIV.

PrEP is another option for prevention. Prevention options include:

- Condoms
- PrEP
- Counselling
- PEP
- Healthy lifestyles
- Treatment for STIs
- · Male medical
- circumcision
- ART for partners living
- with HIV



PREP IS ONLY FOR PEOPLE WHO ARE NOT LIVING WITH HIV.

PREP IS RECOMMENDED FOR PEOPLE WHO MAY BE EXPOSED TO HIV.

What is the difference between PrEP, PEP, and ART?

All three contain antiretrovirals in different combinations for different purposes:

- **PrEP** is a pill that has 2 antiretrovirals taken daily to prevent HIV for HIV-negative people.
- **PEP** is taken within 72 hours after exposure to HIV (e.g., after rape) for 28 days to prevent HIV.
- ART is a pill that has 3 antiretrovirals for HIVpositive people to reduce the levels of HIV in a person's body.



PRE=BEFORE

EXPOSURE=COMING INTO CONTACT WITH HIV

PROPHYLAXIS=A MEDICINE TO PREVENT INFECTION

So... a medicine you take before you come into contact with HIV, to protect you from HIV.

PrEP is an extra prevention method for HIV negative persons who are affected by HIV.



What to expect?	First visit	Month 1	Every 3 months
HIV test	√	√	√
Counselling		√	
PrEP pills	1-month supply	3-month supply	3-month suppy
STI screening		✓	
Blood test screening	SEI	LF-LOVE	
	IS	A VIBE!	

#ICHOOSEME



Where can I get



PrEP is now available in all public primary health care clinics. Visit your closest local clinic if you are interested in protecting yourself using PrEP and condoms, and want to find out more about PrEP, please visit www.myprep.co.za

You'll find more information on PrEP, and where you can get PrEP.

www.myprep.co.za

Predoes:



Reduce your risk of HIV infection, by 90%, if taken daily and correctly. It takes up to 7 days to be fully protected.

does not:

- Prevent other STIs
- Prevent pregnancy
- Protect you from HIV if you start taking it after exposure. PrEP reduces your risk before exposure.

